

	Hits	Search Text	DBs
1	7	second adj boot adj device	USPAT; US-PGPUB
2	57	second near2 boot\$3 near2 device	USPAT; US-PGPUB
3	47	replac\$4 adj bios	USPAT; US-PGPUB
4	65	replac\$4 near bios	USPAT; US-PGPUB
5	0	(replac\$4 near bios) and (bios near failure)	USPAT; US-PGPUB
6	12	bios near failure	USPAT; US-PGPUB
7	0	(replac\$4 near bios) with defect\$4	USPAT; US-PGPUB
8	0	(replac\$4 near bios) with fail\$4	USPAT; US-PGPUB
9	0	(replac\$4 near bios) with inoperable	USPAT; US-PGPUB
10	9	second near2 boot\$3 near2 device	EPO; JPO
11	2	second adj boot adj device	EPO; JPO
12	4	bios with failure	EPO; JPO
13	26	second adj boot	EPO; JPO
14	45	replac\$3 with boot\$3	EPO; JPO
15	5	replac\$3 with boot\$3	IBM_TDB
16	6	second with boot\$3	IBM_TDB
17	2	back\$1up with boot\$3	IBM_TDB
18	6878	second adj power adj supply	USPAT; US-PGPUB
19	24	(second adj power adj supply) and raid	USPAT; US-PGPUB
20	7	(copy\$3 adj operating adj system) with back\$1up	USPAT; US-PGPUB
21	14	(copy\$3 adj operating adj system) with drive	USPAT; US-PGPUB
22	13	"6205527"	USPAT; US-PGPUB
23	32	raid with boot\$3	USPAT; US-PGPUB
24	38	lun with boot\$3	USPAT; US-PGPUB
25	13	mirror\$3 with (boot\$3 adj disk)	USPAT; US-PGPUB

	Hits	Search Text	DBs
26	2	mirror\$3 with (boot\$3 adj2 drive)	USPAT; US-PGPUB
27	1678	mirror\$3 with read\$3 with data	USPAT; US-PGPUB
28	374	mirror\$3 with read\$3 with data with (disk or drive)	USPAT; US-PGPUB
29	97	(mirror\$3 with read\$3 with data with (disk or drive)) same first	USPAT; US-PGPUB
30	16	(mirror\$3 with read\$3 with data with (disk or drive) with request\$3) same first	USPAT; US-PGPUB
31	306	mirror\$3 with boot\$3	USPAT; US-PGPUB
32	26	mirror\$3 with boot\$3 with (disk or drive)	USPAT; US-PGPUB
33	33	lun same (boot\$3 with (disk or drive))	USPAT; US-PGPUB
34	32	led with indicat\$5 with (disk or drive) with fail\$3	USPAT; US-PGPUB
35	20	(led with indicat\$5 with (disk or drive) with fail\$3) and (power with fail\$3)	USPAT; US-PGPUB
36	36	mirror\$3 with read\$3 with data with (disk or drive)	EPO; JPO
37	1	mirror\$3 with boot\$3 with (disk or drive)	EPO; JPO
38	478	(raid with (disk or drive)) same (boot\$3 or (operating adj system))	USPAT; US-PGPUB
39	160	(raid with (disk or drive)) with (boot\$3 or (operating adj system))	USPAT; US-PGPUB
40	5	(raid with (disk or drive)) with (boot\$3 and (operating adj system))	USPAT; US-PGPUB
41	48	((raid with (disk or drive)) with (boot\$3 or (operating adj system))) same fail\$3	USPAT; US-PGPUB
42	4	(raid with (disk or drive)) with (boot\$3) same fail\$3	USPAT; US-PGPUB
43	0	(raid adj "2") with (disk or drive) with (boot\$3)	USPAT; US-PGPUB
44	25	(raid with (disk or drive)) same (boot\$3 same fail\$3)	USPAT; US-PGPUB
45	6	(raid with (disk or drive)) same (boot\$3 same fail\$3) same (operating adj system)	USPAT; US-PGPUB
46	41	lun with boot\$3	USPAT; US-PGPUB
47	32	redundant with drive with enclosure	USPAT; US-PGPUB
48	0	redundant with drive with enclosure	EPO; JPO

	Hits	Search Text	DBs
49	0	redundant with drive with enclosure	IBM_TDB
50	8	(raid adj2 "1") with (disk or drive) with (boot\$3)	USPAT; US-PGPUB
51	33	(raid) with (disk or drive) with (boot\$3)	USPAT; US-PGPUB
52	853	(raid) with (disk or drive) with (single)	USPAT; US-PGPUB
53	92	(raid) with (disk or drive) with (single) with (behav\$5 or appear\$3)	USPAT; US-PGPUB
54	38	(raid) with (single adj (disk or drive)) with (behav\$5 or appear\$3)	USPAT; US-PGPUB
55	2	(raid) with (disk or drive) with (boot\$3)	EPO; JPO
56	0	(raid) with (single adj (disk or drive)) with (behav\$5 or appear\$3)	EPO; JPO
57	3	("6098119" "6529989" "6567911").PN.	USPAT
58	0	(boot\$3) with (single adj (disk or drive)) with (behav\$5 or appear\$3)	USPAT; US-PGPUB
59	10	(boot\$3) same ((single adj (disk or drive)) with (behav\$5 or appear\$3))	USPAT; US-PGPUB
60	52	(raid) with (boot\$3)	USPAT; US-PGPUB
61	36	(raid adj2 "1") with (disk or drive) with ((o\$1s) or (operating adj system) or dos)	USPAT; US-PGPUB
62	19	5832222.URPN.	USPAT
63	7	5832222.URPN. and boot\$3	USPAT
64	14	5832222.URPN. and (os or (operating adj system) or dos)	USPAT
65	44	(raid adj2 "1") and (boot\$3 with (disk or drive) with ((o\$1s) or (operating adj system) or dos))	USPAT; US-PGPUB
66	44	(raid adj2 "1") with ((o\$1s) or (operating adj system) or dos)	USPAT; US-PGPUB
67	90	(raid adj2 "1") same ((o\$1s) or (operating adj system) or dos)	USPAT; US-PGPUB